



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States, for week ended December 10—Continued.

Cities.	Total deaths from all causes.	Tuber- culosis.		Ty- phoid fever.		Scarlet fever.		Diph- theria.		Measles.		Whoop- ing cough.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Wichita, Kans.....	14	...	1	1	2	3	1
Wilkes-Barre, Pa.....	29	4	1	1	1	4	2
Wilkesburg, Pa.....	6
Williamsport, Pa.....	10	1
Wilmington, Del.....	24	...	3
Woburn, Mass.....	3	1
Worcester, Mass.....	48	1	1	4	...	13	2	2	1	2	1
Yonkers, N. Y.....	28	1	5	12	...	3	1
York, Pa.....	1	9	...	1	...	1	...
Zanesville, Ohio.....	3	2	...	1	...	4

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

CALIFORNIA—SAN DIEGO.—Month of November, 1910. Population, 45,000. Total number of deaths from all causes 55, including tuberculosis, 9. Cases reported: Typhoid fever 1, measles 1, scarlet fever 16, diphtheria 3.

CONNECTICUT.—Month of November, 1910. Population of reporting towns, 1,111,526. Total number of deaths from all causes 1,249, including typhoid fever 24, measles 2, scarlet fever 6, diphtheria 28, tuberculosis, pulmonary, 94. Cases reported: Typhoid fever present in 38 towns with 139 cases, measles in 16 towns with 158 cases, scarlet fever 141 cases in 36 towns, diphtheria 323 in 56 towns, tuberculosis 111 in 40 towns.

FLORIDA.—Reports from the State board of health show as follows: Week ended December 3, 1910. Typhoid fever present in 2 localities (Tampa and Jacksonville) with 3 cases, smallpox in 6 counties (Dade, Gadsden, Hillsborough, Jackson, Leon, Manatee) with 36 cases, scarlet fever in 1 locality with 2 cases, diphtheria in 2 localities with 4 cases, malaria in 3 localities with 15 cases, tuberculosis in 1 locality (Lake City) with 1 case.

Week ended December 10, 1910. Typhoid fever present in 1 locality (Tampa) with 4 cases, smallpox in 5 counties (Duval, Escambia, Hillsborough, Leon, and Madison with 38 cases, diphtheria in 2 localities with 2 cases, malaria in 4 localities with 25 cases, tuberculosis in 1 locality (Tampa) with 3 cases.

GEORGIA—Macon.—Month of November, 1910. Population, 45,000; white, 25,000, colored, 20,000. Total number of deaths from all causes 40, white 24, colored 16, including typhoid fever 2, tuberculosis 1.

ILLINOIS—*Alton*.—Month of November, 1910. Population, 17,528. Total number of deaths from all causes 18, including tuberculosis 2. Cases reported: Scarlet fever 1, diphtheria 4.

KANSAS.—Month of October, 1910. Population, 1,703,002. Total number of deaths from all causes not reported. Deaths from contagious diseases include typhoid fever 69, smallpox 1, scarlet fever 3, diphtheria 28, tuberculosis 66. Cases reported: Typhoid fever 388, smallpox 66, measles 11, scarlet fever 287, diphtheria 278, tuberculosis 266.

KENTUCKY—*Louisville*.—Month of November, 1910. Population, 223,928. Total number of deaths from all causes 253, including typhoid fever 8, diphtheria 1, tuberculosis, pulmonary, 35. Cases reported: Typhoid fever 12, scarlet fever 22, diphtheria 47, tuberculosis, pulmonary, 47.

MINNESOTA.—Month of September, 1910. Population, 1,979,658. Total number of deaths from all causes 1,859, including typhoid fever 102, scarlet fever 14, diphtheria 35, tuberculosis 149.

Stillwater.—Month of November, 1910. Population, 12,528. Total number of deaths from all causes 9, including typhoid fever 1, tuberculosis 1. No cases of contagious disease reported.

NEW JERSEY.—Month of November, 1910. Population, 1,183,699. Total number of deaths from all causes 2,879, including typhoid fever 46, scarlet fever 6, diphtheria 92, tuberculosis 350.